

1981 Porsche Audi Fact Book

For dealership use only

Contents

	Page
<hr/>	
Porsche 924/924 Turbo	
Model Designation & Dimensions	2, 3
Specifications	6-9
Standard Equipment	14, 15
Optional Equipment	18-23
Paint Selection	24, 25
Upholstery Selection	26
<hr/>	
Porsche 928	
Model Designation & Dimensions	4
Specifications	10-13
Standard Equipment	16
Optional Equipment	18-23
Paint Selection	24, 25
Upholstery Selection	27
<hr/>	
Porsche 911SC	
Model Designation & Dimensions	5
Specifications	10-13
Standard Equipment	17
Optional Equipment	18-23
Paint Selection	24, 25
Upholstery Selection	28-30
<hr/>	
Audi 4000	
Model Designation & Dimensions	32
Specifications	36-39
Standard Equipment	44
Optional Equipment	48-51
Paint Selection	52
Upholstery Selection	52
<hr/>	
Audi 5000/Diesel	
Model Designation & Dimensions	33
Specifications	40-43
Standard Equipment	45
Optional Equipment	48-51
Paint Selection	54
Upholstery Selection	54
<hr/>	
Audi 5000 Turbo	
Model Designation & Dimensions	34
Specifications	40-43
Standard Equipment	46, 47
Optional Equipment	48-51
Paint Selection	55
Upholstery Selection	55
<hr/>	
Porsche Audi Radio Selection	56, 57

Porsche



Facts and

Figures

Porsche models and dimensions




Model	Designation	Price
477 332	924 with five-speed transmission	_____
477 333	924 with three-speed automatic transmission	_____

Dimensions (in inches)



Model	Designation	Price
931 352	924 Turbo with five-speed transmission	




Dimensions (in inches)



Porsche models and dimensions




Model	Designation	Price
928 510	928 Coupe with five-speed transmission or automatic three-speed transmission	

Dimensions (in inches)



Model	Designation	Price
911 344	911SC Coupe with five-speed transmission	_____
911 444	911SC Targa with five-speed transmission	_____

Dimensions (in inches)



Porsche specifications

Model

Engine

Type of Engine

Bore/stroke, inches (mm)

Displacement, cubic inches (cc)

Compression ratio

Horsepower, SAE net, bhp @ rpm

Maximum torque, SAE net, ft. lbs. @ rpm

Valve train

Crankshaft

Lubrication

Fuel requirements

Fuel supply system

Electrical System

Battery

Alternator

Ignition

Drive Train

Design

Clutch

Transmission

Final drive

Drive axles

Number of speeds

Gear shift location

Frame/body

Suspension

Front suspension

Rear suspension

4-cylinder, 4 cycle, 2.0 ltr, in-line water cooled with water pump and electric cooling fan, cast-iron block, aluminum alloy head	Turbo charged 4-cylinder, 4 cycle, 2.0 ltr, in-line water cooled with water pump and electric cooling fan, cast-iron block, aluminum alloy head
3.41/3.32 (86.5/84.4)	3.41/3.32 (86.5/84.4)
121.0 (1984)	121.0 (1984)
9.0:1	8.0:1
110 @ 5750	154 @ 5750
111.3 @ 3500	154.8 @ 3500
OHC, spur belt driven	OHC, spur belt driven
Forged, 5 main bearings	Forged, 5 main bearings
Gear type oil pump, full pressure system	Gear type oil pump, full pressure system and oil cooler
Unleaded gas only	Unleaded gas only
2 electric fuel pumps in series, CIS fuel injection (Cat. w/OXS)	2 electric fuel pumps in series, CIS fuel injection (Cat. w/OXS)
12 Volt, 63 Ah.	12 Volt, 63 Ah.
1050 Watt	1050 Watt
Breakerless transistor with idle stabilizer	Digital with idle stabilizer
Front-mounted engine, rear-mounted transaxle, connected by torque tube and solid drive shaft	Front-mounted engine, rear-mounted transaxle, connected by torque tube and solid drive shaft
Single disc dry, engine mounted	Single disc dry, engine mounted
Synchronization cone type	Porsche type synchronization
Beveled drive	Beveled drive
Double CV joints	Double CV joints
5 forward, 1 reverse	5 forward, 1 reverse
In console, mounted to transaxle tube	In console, mounted to body, adjustable
Galvanized steel, unitized construction	Galvanized steel, unitized construction
Independent, with lower control arms, hydraulic telescopic coil/shock absorber struts, negative steering roll radius, stabilizer bar (21mm)	Independent, with lower control arms, hydraulic telescopic coil/shock absorber struts, negative steering roll radius, stabilizer bar (21mm)
Independent, with semi-trailing arms, transverse round section torsion bars, one per wheel, and double acting telescopic hydraulic shock absorbers	Independent, with semi-trailing arms, transverse round section torsion bars, one per wheel, and double acting telescopic hydraulic shock absorbers

Porsche specifications

Model

Brakes

Foot brake

Hand brake

Total effective brake pad/lining area, sq. inches (cm²)

Wheels

Rims (pressure-cast alloy)

Tires (radial ply)

Spare tire

Steering

Capacities

Engine oil with filter, quarts (liters)

Transmission/differential, quarts (liters)—manual

Fuel tank, gallons (liters)

Windshield washer, quarts (liters)

Cooling system, quarts (liters)

Dimensions

Wheelbase, inches (mm)

Front track, inches (mm)

Rear track, inches (mm)

Overall length, inches (mm)

Overall width, inches (mm)

Overall height (unloaded), inches (mm)

Ground clearance (loaded), inches (mm)

Turning circle curb to curb, feet (m)

Weight

Gross vehicle weight, lbs. (preliminary)

Performance

Approximate top speed (standard transmission)

Acceleration 0-60 mph (standard transmission)

EPA estimated fuel economy (standard transmission)
mpg, city/highway

Estimated cruising range:

City

Highway

924**924 Turbo**

Power-assisted, diagonally-connected, twin circuit hydraulic system. Discs in front, drums in rear

Mechanical, activating rear wheel drum brakes

72.9 (470)

Power-assisted, diagonally-connected, twin circuit hydraulic system. Vented discs, front & rear

Mechanical, activating rear brakes

48.0 (310)

6Jx14

185/70 HR 14

Space-saver with compressor

Rack and pinion

6Jx15

185/70 VR 15

Space-saver with compressor

Rack and pinion

5.3 (5.0)

2.7 (2.6)

17.4 (66)

6.9 (6.5)

7.4 (7.0)

5.8 (5.5)

2.6 (2.5)

17.4 (66)

6.9 (6.5)

7.4 (7.0)

94.5 (2400)

55.9 (1418)

54.0 (1372)

170.1 (4320)

66.3 (1685)

50.0 (1270)

4.9 (125)

30.2 (9.2)

94.5 (2400)

55.9 (1418)

54.1 (1375)

170.1 (4320)

66.3 (1685)

50.1 (1273)

4.9 (125)

30.2 (9.2)

3086

3418

120 mph

10.9 seconds

20/35*

348

609

134 mph

9.1 seconds

20/33*

348

574

*1981 EPA estimates.

Porsche specifications

Model

Engine

Type of engine

Bore/stroke, inches (mm)

Displacement, cubic inches (cc)

Compression ratio

Horsepower, SAE net, bhp @ rpm

Maximum torque, SAE net, ft. lbs. @ rpm

Valve train

Crankshaft

Lubrication

Fuel requirement

Fuel supply system

Electrical System

Battery

Alternator

Ignition

Drive train

Design

Clutch

Transmission

Final drive

Drive axles

Number of speeds

Gear shift location

Frame/body

Suspension

Front suspension

Rear suspension

928 Coupe**911SC**

8-cylinder, 4 cycle, 4.5 ltr, V-8 water-cooled, closed and pressurized system, light alloy block, cylinders and heads	6-cylinder, 4 cycle, 3.0 ltr, air cooled, opposed, light alloy block, aluminum cylinder heads
3.74/3.11 (95.0/78.9)	3.74/2.77 (95.0/70.4)
273.0 (4474)	183.0 (2994)
9.0:1	9.3:1
220 @ 5500	172 @ 5500
265 @ 4000	175 @ 4200
OHC, spur belt driven, hydraulic lifters	OHC (one per bank), chain-driven
Forged, 5 main bearings	Forged, 8 main bearings
Wet sump with baffled reservoir, crescent-type pressure pump	Dry sump, oil cooler front
Unleaded gas only	Unleaded gas only
Electric fuel pump, AFC fuel injection (Cat. w/OXS)	Electric fuel pump, CIS fuel injection (Cat. w/OXS)
12 Volt, 66 Ah.	12 Volt, 66 Ah.
1260 Watt	980 Watt
Breakerless transistor	Breakerless capacitive discharge system
Front-mounted engine, rear- mounted transaxle, connected by torque tube and enclosed drive shaft	Rear-mounted engine behind axle
Twin-disc dry (torque converter for automatic)	Single, dry plate
Porsche type synchronization	Porsche type synchronization
Beveled drive	Beveled drive
Double CV joints	Double CV joints
5 forward, 1 reverse or 3 speed automatic	5 forward, 1 reverse
In console, mounted to transaxle tube, adjustable	In console, floor mounted
Galv. steel, unitized construc- tion with alum. body panels	Galvanized steel, unitized construction
Independent, with upper and lower control arms, coil/ shock absorber struts, and stabilizer bar, negative steering roll radius	Independent, with transverse control arms and telescopic shock absorber struts plus stabilizer bar, longitudinally mounted torsion bars
Independent, with upper and lower control arms, coil/ shock absorber struts and stabilizer bar	Independent, with longi- tudinal control arms and stabilizer bar, transversely mounted torsion bars, with hydraulic telescopic shock absorbers and stabilizer

Porsche specifications

Model

Brakes

Foot brake

Hand brake

Total effective brake pad area, sq. inches (cm²)

Wheels

Rims (pressure cast alloy)

Front

Rear

Tires (radial ply)

Front

Rear

Spare Tire

Steering

Capacities

Engine oil with filter, quarts (liters)

Transmission/differential, quarts (liters)—manual

Fuel tank, gallons (liters)

Windshield washer, quarts (liters)

Cooling system, quarts (liters)

Dimensions

Wheelbase, inches (mm)

Front track, inches (mm)

Rear track, inches (mm)

Overall length, inches (mm)

Overall width, inches (mm)

Overall height (unloaded), inches (mm)

Ground clearance (loaded), inches (mm)

Turning circle, curb to curb, feet (m)

Weight

Gross vehicle weight, lbs. (preliminary)

Performance

Approximate top speed (standard transmission)

Acceleration 0-60 mph (standard transmission)

EPA estimated fuel economy
mpg, city/highway

Estimated cruising range

City

Highway

928 Coupe	911SC
Power-assisted, diagonally-connected, twin circuit hydraulic system, 4-wheel discs, vented	Dual circuit power-assisted hydraulic brake system four wheel disc brakes. All four disc brakes vented.
Mechanical drum inside rear disc	Mechanical drum inside rear disc
48.0 (310)	39.84 (257)
7Jx15	6Jx15
7Jx15	7Jx15
215/60 VR 15	185/70 VR 15
215/60 VR 15	215/60 VR 15
Space-saver with compressor	Space-saver with compressor
Rack and pinion with variable power assist	Rack and pinion
7.9 (7.5)	13.7 (13)
4.0 (3.8)	3.2 (3)
22.7 (86)	21 (80)
7.8 (7.0)	9 (8.5)
17.0 (16)	—
98.4 (2500)	89.5 (2272)
61.1 (1552)	53.9 (1369)
60.2 (1529)	54.3 (1379)
175.7 (4462)	168.9 (4291)
72.3 (1836)	65.0 (1652)
50.5 (1281)	51.6 (1320)
4.7 (120)	4.7 (120)
31.5 (9.6)	34.0 (10.4)
4123	3417
140 mph	139 mph
7.5 seconds	6.9 seconds
16/25* std.	17/27* std.
16/23* auto.	
363 std., 363 auto.	357
568 std., 522 auto.	567

* 1981 EPA estimates

Porsche standard equipment

Model

924

Body

Retractable Halogen high beam headlights. "Porsche" lettering below license plate. Rubber-padded, energy-absorbing bumpers front and rear. Front spoiler. Protective body side molding. Black plastic molding on rocker panels. Lift-up hatchback door. Tinted safety glass all around. Complete undercoating. Black window molding. Remote control outside mirror, left. Seven-year anti-corrosion limited warranty — see Warranty & Maintenance Manual for details.

Locks

Lockable doors, glove compartment door and hatchback. (Anti-theft internal hood release.) Steering wheel lock combined with ignition lock. Non-repeat starter switch.

Interior

Two-way adjustable driver's seat and passenger seat. Headrests integrated with seats. Heavily padded, glare-proof instrument panel. Safety-padded sun visors. Make-up mirror in sun visor, passenger side. Center control console with sliding-top ashtray with cigar lighter. Antenna, suppression, and three stereo speakers with volume/balance control on console. Leatherette two-spoke sport steering wheel. Full carpeting. Grab handle incorporated into both side armrests. Seat upholstery of leatherette or leatherette/cloth combination. Heating and draft-free flow-through ventilation independently adjustable. Large adjustable fresh air and heating vents for de-fogging. Two-speed fresh air blower. Rear window defogger. Two inertia reel combination shoulder/lap belts, front; 2 lap belts rear. Roomy storage compartment in both doors. Electric windshield washer with automatic wipe cycle, and two-speed windshield wipers with intermittent wipe cycle, control mounted on steering column. Inside day/night rearview mirror. Large, fully carpeted rear luggage area with light. Retractable luggage compartment cover. Door sill and window sill molding with 924 logo.

Instrumentation

Speedometer with trip odometer. Transistorized tachometer. Quartz clock. Water temperature, oil pressure, and fuel gauges. Warning indicator lights for fuel reserve, alternator control, oil pressure, and hydraulic braking systems. Voltmeter (not available with air conditioner).

Electrical System

Retractable headlights operated by electric motor. Two back-up lights. Rheostat-controlled instrument illumination. Four-way emergency flasher. Interior light. Glove compartment light. Engine compartment light. Center control box with fuses under dashboard. Dual-tone horn. Luggage area light. Electric tire pump for space saver spare tire. Hand brake warning light.

Porsche standard equipment

Model

928 Coupe

Body

Energy-absorbing aluminum bumpers, front and rear, covered with shock and energy-absorbing polyurethane skin, with elastic paint to match body color. Integrated front spoiler. Black exterior trim molding. Lift-up hatchback. Bronze-tinted safety glass all around. Complete undercoating. "Porsche" in grey on rear of vehicle. Seven-year anti-corrosion limited warranty — see Warranty & Maintenance Manual for details.

Locks

Power door locks. Luggage compartment and glove compartment lock. Ignition/steering wheel/starter lock (anti-theft internal hood release). Non-repeat starter switch.

Interior

Two-way adjustable driver's seat and passenger seat. Headrests integrated with seats. Heavily padded glare-proof instrument panel. Padded front and rear sun visors. Illuminated vanity mirror, passenger side. Center console. Front illuminated ashtray and cigar lighter. Four-spoke, leather-covered sport steering wheel. Adjustable steering column/instrument panel. Automatic speed control. Power steering. Power windows. Four speakers, suppression. Power antenna. Full deep cut-pile carpeting. Fold out armrests. Door pockets. Partial leather interiors with choice of leather, leatherette or cloth seats. Heater and air-conditioner with 5-speed blower. Draft-free flow-through ventilation through 10 outlets. Twin-stage heatable rear window. Inertia reel combination shoulder/lap belts, front and rear. Roomy storage compartments in both doors. Electric windshield washer with automatic wipe cycle, and two-speed windshield wipers with intermittent wipe cycle, control mounted on steering column. Rear window wiper. Heatable and electrically adjustable outside rearview mirror. Inside day/night rearview mirror. Glove compartment with light. Large, fully carpeted luggage area. Luggage compartment cover.

Instrumentation

Speedometer with trip odometer. Transistorized tachometer. Quartz clock. Water temperature, fuel and oil pressure gauges. 12-function central warning lights in instrument cluster: oil pressure, oil level, brake circuit failure, brake fluid, brake pad wear, emergency brake, coolant level, coolant temperature, fuel tank level and reserve, windshield washer reservoir, brake lights, and tail lights.

Electrical System

1.5 hp starter. Retractable Halogen high beam headlights operated by electric motor with headlight washers. Two back-up lights. Fog lights (white). Rheostat-controlled instrument illumination. Four-way emergency flasher. Interior lights. Glove compartment light. Engine compartment light. Center control box with fuses under dashboard. Dual-tone horn. White & red courtesy lights in doors. Electric tire pump for space saver spare tire. Hand brake warning light. Luggage area light.

Body

Energy-absorbing aluminum safety bumpers with protective rubber moldings, front and rear. Rear bumper equipped with heavy rubber bumperettes. Protective rubber moldings on door sills. Front spoiler. Removable folding roof on Targa models. Complete undercoating. Black anodized window trim. Seven-year anti-corrosion limited warranty — see Warranty & Maintenance Manual for details.

Windows

Tinted glass all around. Three-speed electric windshield wiper and intermittent wipe cycle. Washer with automatic wiping cycle. Two-stage electrically heated rear window defogger. Inside day/night rearview mirror. Outside mirror heatable and electrically adjustable.

Locks

Service key operating door and ignition lock only. Lockable glove compartment. Front and rear lid locks operated from car interior. Steering wheel lock combined with ignition lock. Non-repeat starter switch. Fuel tank access door opened from car interior. Front hood key lock (Targa only).

Interior

Air conditioning. Power windows. Leather-covered, three-spoke steering wheel. Padded partial horn ring. Safety-padded sunvisors with vanity mirror, passenger side. Illuminated ashtray. Glare-proof instrument panel, heavily padded. Dashboard center finished in color-matched vinyl. Cigar lighter. Adjustable front seats with reclining backrests and integral headrests. Grab handle incorporated into side armrests. Seat upholstery of leatherette or leatherette/cloth combination. Leatherette door panels. Armrest on driver and passenger side. One map pocket on left side of foot well (Coupe only). Storage compartment in both doors. Two combination shoulder/lap belts equipped with inertia reels, front; 2 lap belts rear. Full cut-pile carpeting. Heating and draft free flow-through ventilation independently adjustable. Three-speed fresh air blower. Luggage platform with bolsters folded down and built-in luggage strap loops. Two coat hooks. Antenna, suppression, and speakers in doors. Center console.

Instrumentation

Electric speedometer with trip odometer. Transistorized tachometer. Fuel gauge with warning light. Oil temperature gauge. Oil level gauge. Oil pressure gauge. Electric quartz clock with adjustable elapsed-time monitor.

Electrical System

Two Halogen high beam headlights. Two back-up lights. Rheostat-controlled instrument illumination. Luggage compartment light. Four-way emergency flasher. Illuminated glove compartment. Two interior lights (Coupe). One interior light (Targa). Dual-tone horns. Electric tire pump for space saver spare tire. Engine compartment light. Hand brake warning light.

Porsche options

Code	Description	Note
018	Leather-covered three spoke sport steering wheel, 15" with raised hub	
126	Digital radio	
197	88 A/h battery	
220	Limited slip differential	40% slip factor.
249	Automatic transmission	No charge option.
261	Outside mirror, right, heatable, elec. adjustable	Mandatory combination with M398 for 924/924T.
287	Heavy-duty windshield cleaning system	
288	Headlight washers	
395	Forged alloy wheels	924 Turbo, 6Jx16 (5 bolt); disc type with 205/55 VR 16 tires; 911, front 6Jx16 black, 5-spoke rims with 205/55 VR 16 tires, rear 7Jx16 with 225/50 VR 16 tires (not suitable for use with snow chains).
398	Outside mirror, left, heatable, elec. adjustable	Mandatory with M261.
401	Pressure cast alloy wheels,	7x16 rims with 225/50 VR 16 tires. Not with M471.
409	Front sport seats, in leather	Only with upholstery codes on pg. 26 (924) and pgs. 29-30 (911SC).
410	Front sport seats in Berber Tweed	Only with upholstery code on pg. 26 (924) and pg. 29 (911SC).
416	Leather-covered three spoke sport steering wheel, 15"	Not with M018.
418	Protective side moldings	
423	Cassette	
424	Automatic heating control	
425	Rear window wiper	
431	Leather-covered four spoke sport steering wheel (363mm)	

	924	924 Turbo	928 Coupe	911SC Coupe	911SC Targa
	○	○	—	—	—
Price					
	○	○	○	○	○
Price					
	—	—	○	○	○
Price					
	—	—	○	○	○
Price					
	—	—	○	—	—
Price					
	○	○	○	○	○
Price					
	—	—	○	—	—
Price					
	○	○	—	○	○
Price					
	—	○	—	○	○
Price					
	○	○	—	—	—
Price					
	—	—	○	—	—
Price					
	○	○	—	○	○
Price					
	○	○	—	○	○
Price					
	○	●	—	—	—
Price					
	—	—	○	—	—
Price					
	○	○	○	—	—
Price					
	—	—	—	○	○
Price					
	○	○	—	—	—
Price					
	○	○	—	—	—
Price					

○ means "option available for this model"

— means "option not available for this model"

● means "standard equipment for this model"

Porsche options

Code	Description	Note
437	Power seat, left	(Not with M471)
438	Power seat, right	(Not with M471)
454	Automatic speed control	
456	Stabilizers (Front 23mm— Rear 14mm) & sport shocks	
461	Automatic antenna instead of manual antenna	
468	Tinted glass all around (green instead of bronze) upper edge of windshield dark green	Not with M568.
469	Black roofliner	
473	Spoiler, front & rear	
474	Sport shock absorbers	
477	Pressure-cast alloy wheels black spoke flanks, 4-hole (gravel deflectors, rear)	6Jx15 rims with 205/60 HR 15 steel belted tires. Not with M471.
494	Two additional speakers below rear window	
494	Amplifier system (4x15 watts)	Only with M126.
497	1.1 KW Starter	Standard on 924 with automatic transmission.
498	Engine lid without model designation	
533	Alarm system	2-Locks (924/911) 2-Keys (928)
563	Automatic full climate control	
566	Fog lights, white	
567	Green wedge in windshield (upper edge dark green)	
568	Tinted glass, all around, green instead of bronze	Not with M468.

	924	924 Turbo	928 Coupe	911SC Coupe	911SC Targa
Price	—	—	○	—	—
Price	—	—	○	—	—
Price	—	—	●	○	○
Price	—	○	—	—	—
Price	○	○	●	○	○
Price	—	—	○	—	—
Price	—	—	—	○	—
Price	—	—	—	○	○
Price	—	—	—	○	○
Price	○	—	—	—	—
Price	—	—	—	○	○
Price	—	—	○	—	—
Price	○	●	—	—	—
Price	—	—	—	○	○
Price	○	○	○	○	○
Price	—	—	○	—	—
Price	—	—	—	○	○
Price	○	○	—	○	○
Price	—	—	○	—	—

○ means "option available for this model"

— means "option not available for this model"

● means "standard equipment for this model"

Porsche options

Code	Description	Note
573	Air conditioner	
650	Removable top	
650	Electric sliding roof	
651	Power windows	
666	Without protective coating	Mandatory for Delivery in Europe vehicles
900	Catalyst retrofit	Mandatory for Delivery in Europe vehicles
931	Remote control mirror, right	Not with 261, 398

Group options

M471 Sport Group for 924:

6Jx15 Pressure-cast alloy rims (spoke type, 5-bolt) with 205/60 HR 15 tires (rear track widened by 20mm)
Ventilated disc brakes on all four wheels
Stabilizer bars, front 23mm, rear 14mm
Sport shock absorbers
Rear wheel gravel housing deflectors
Rear spoiler

M471 Competition Group for 928 Coupe:

Front and rear spoilers
7Jx16 Forged alloy rims (disc type) with 225/50 VR 16 tires
Sport shock absorbers
Leather-covered three spoke sport steering wheel (15")
Front leather sport seats (only with Interior Codes on Page 27)
Cool air vents in front section of car for brake cooling

	924	924 Turbo	928 Coupe	911SC Coupe	911SC Targa
Price	O	O	—	—	—
Price	O	O	—	—	—
Price	—	—	O	O	—
Price	O	O	—	—	—
Price	O	O	—	—	—
Price	O	O	O	O	O
Price	O	O	—	—	—

O means "option available for this model"

— means "option not available for this model"

● means "standard equipment for this model"

Porsche paint colors

Paint Color

Black

Mocha Black

Colorado Beige

Mauritius Blue

Conifer Green

Guards Red

Havana Brown

Royal Blue

Bamboo Beige

Grand Prix White

Alpine White

Mint Green

Chiffon White

Venus Red

Monaco Blue

Caramel Brown

Metallic Paints

(extra cost for 924/924 Turbo and 911SC/Targa)

Black Metallic

Platinum Metallic

Light Blue Metallic

Minerva Blue Metallic

Meteor Grey Metallic

Pacific Blue Metallic

Indiana Red Metallic

Moss Green Metallic

Rosewood Metallic

Onyx Green Metallic

Wine Red Metallic

Diamond Silver Metallic

Pewter Metallic

**Color to sample at extra cost on all models—
not available on Delivery in Europe vehicles.**

Two-tone Paints (924 and 924 Turbo only at extra cost)

Upper Paint

Lower Paint

Colorado Beige

Mocha Black

Platinum Metallic

Havana Brown

Diamond Silver Metallic

Meteor Grey Metallic

Inari Silver Metallic

Onyx Green Metallic

Codes for Model:			
924/ 924 Turbo	928 Coupe	911SC Coupe	911SC Targa
	A1A1	A1A1	A1V9
A2A2	T5T5	T5T5	T5V9
D5D5			
K9K9			
N8N8			
G1G1	G8G8	G8G8	G8V9
T4T4			
	J3J3	J3J3	J3V9
	D2D2	D2D2	D2V9
	R4R4	R4R4	R4V9
P1P1			
	M1M1	M1M1	M1V9
	R3R3	R3R3	R3V9
G3G3			
J3J3			
	T2T2	T2T2	T2V9
U7U7	A2A2	A2A2	A2V9
U1U1	U1U1	U1U1	U1V9
	J4J4	J4J4	J4V9
W6W6	W9W9	W9W9	W9V9
Y5Y5			
	W7W7	W7W7	W7V9
W9W9			
	X2X2	X2X2	X2V9
	X7X7	X7X7	X7V9
Z2Z2			
	X8X8	X8X8	X8V9
Z4Z4			
	Z8Z8	Z8Z8	Z8V9
	9999 (Metallic Only)	9999 (Metallic and Non-Metallic)	99V9
D5A2			
U1T4			
Z4Y5			
Y4Z2			

Porsche upholstery

924[†] & 924 Turbo[†]

Code	Side Panels & Seat Inlays	Seat Trim & Carpet	Available
	Checkered Velour**	Leatherette	
GM	Grey/Black	Black	●
GP	Beige/Brown	Beige	●
GN	Beige/Brown	Brown	●

Code	Side Panels, Seat Trim & Carpet	Seat Inlays	Available
	Leatherette	Berber Tweed**	
JC	Black	Grey/Black	●
JA	Beige	Beige/Brown	●
JB	Brown	Beige/Brown	●
	Leatherette	Leatherette	
LT	Black	Black	●
LV	Beige	Beige	●
LU	Brown	Brown	●

	Leatherette (Panels) Leather (Trim)	Leather	
TE*	Black	Black	O
TG*	Beige	Beige‡	O
TH*	Brown	Brown	O
	Leatherette	Berber Tweed**	
KN*	Black	Grey/Black	O
KQ*	Beige	Beige/Brown	O
KP*	Brown	Beige/Brown	O

	Leatherette	Pinstripe Cloth	
BH	Black	Black	●
BK	Beige	Brown	●
BJ	Brown	Brown	●

* Available only with front sport seats: in leather, option M409; in Berber Tweed, option M410

** Including Head Restraints

† Interiors can be combined with any paint code

‡ Beige Leather Sport Seats match Beige Leatherette

● = Standard; O = Optional at extra cost

928 Coupe^{††}

Code	Side Panels & Seat Trim	Seat Inlays	Carpet	Available
Partial Leather (Panels) Leather (Trim) Uni-Cloth				
BK	Black	Black	Black	●
BG	Dark Blue	Dark Blue	Dark Blue	●
BJ	Beige	Beige	Beige	●
BT	Brown	Beige	Brown	●
Partial Leather (Panels) Leather (Trim) Leather				
PN	Black	Black	Black	●
PR	Dark Blue	Dark Blue	Dark Blue	●
PS	Beige	Beige	Beige	●
PM	Brown	Brown	Brown	●
Partial Leather (Panels) Leather (Trim) Leather				
PT*	Black	Black	Black	O
PU*	Dark Blue	Dark Blue	Dark Blue	O
PX*	Beige	Beige	Beige	O
PW*	Brown	Brown	Brown	O
Partial Leather (Panels) Leather (Trim) Berber Tweed**				
BU	Black	Grey/Black	Black	●
BW	Dark Blue	Blue/Black	Dark Blue	●
BZ	Beige	Beige/Brown	Beige	●
BX	Brown	Beige/Brown	Brown	●
Partial Leather (Panels) Leather (Trim) Checkered Velour				
BB	Black	Grey/Black	Black	●
BA	Dark Blue	Blue/Black	Dark Blue	●
BD	Beige	Beige/Brown	Beige	●
BC	Brown	Beige/Brown	Brown	●

Dashboard and center console are leather (roofliners leatherette). Beige interior has brown dashboard, center console and roofliner (all other combinations color coordinated).

^{††}928 Coupe interiors can be combined with any exterior colors.

* Sport Seats ordered only with Competition Group (M471).

** Seat Bolsters in matching Berber Tweed.

● = Standard; O = Optional at extra cost

Porsche upholstery

911SC Coupe† & 911SC Targa†

Code	Side Panels & Seat Trim	Seat Inlays	Carpet	Available
	Leatherette	Uni-Cloth		
01	Black	Black	Black	●
21	Dark Blue	Dark Blue	Dark Blue	●
30	Beige	Beige	Beige	●
45	Brown	Beige	Brown	●
	Leatherette (Panels) Leather (Trim)*	Leather*		
09	Black	Black	Black	O
25	Dark Blue	Dark Blue	Dark Blue	O
35	Beige	Beige	Beige	O
44	Brown	Brown	Brown	O
	Leather	Uni-Cloth		
61	Black	Black	Black	O
51	Dark Blue	Dark Blue	Dark Blue	O
81	Beige	Beige	Beige	O
76	Brown	Beige	Brown	O
	Leather	Leather		
60	Black	Black	Black	O
50	Dark Blue	Dark Blue	Dark Blue	O
80	Beige	Beige	Beige	O
70	Brown	Brown	Brown	O
	Leatherette	Berber Tweed (Incl. Bolsters)		
04	Black	Grey/Black	Black	●
20	Dark Blue	Blue/Black	Dark Blue	●
31	Beige	Beige/Brown	Beige	●
40	Brown	Beige/Brown	Brown	●

†911 interiors can be combined with any exterior colors.

*Front seats: Leather (Incl. Bolsters), Rear Seats: Leatherette

● = Standard; O = Optional at extra cost

911SC Coupe & 911SC Targa

Code	Side Panels & Seat Trim	Seat Inlays	Carpet	Available
	Leather	Berber Tweed (Incl. Bolsters)		
62	Black	Grey/Black	Black	O
55	Dark Blue	Blue/Black	Dark Blue	O
86	Beige	Beige/Brown	Beige	O
75	Brown	Beige/Brown	Brown	O
	Leatherette	Checkered Velour		
05	Black	Grey/Black	Black	●
22	Dark Blue	Blue/Black	Dark Blue	●
33	Beige	Beige/Brown	Beige	●
43	Brown	Beige/Brown	Brown	●
	Leather	Checkered Velour		
65	Black	Grey/Black	Black	O
52	Dark Blue	Blue/Black	Dark Blue	O
83	Beige	Beige/Brown	Beige	O
73	Brown	Beige/Brown	Brown	O
	Leatherette	Berber Tweed		
17**	Black	Grey/Black	Black	O
27**	Dark Blue	Blue/Black	Dark Blue	O
37**	Beige	Beige/Brown	Beige	O
47**	Brown	Beige/Brown	Brown	O
	Leatherette (Panels) Leather (Trim)*	Leather*		
18**	Black	Black	Black	O
28**	Dark Blue	Dark Blue	Dark Blue	O
38**	Beige	Beige	Beige	O
48**	Brown	Brown	Brown	O

Dashboard, window sills, and rear shelf are color coordinated with trim except beige; with beige interiors—dashboard, window sills and rear shelf are brown. Roof Liners (leatherette): Black interiors have white roof liners; dark blue interiors have dark blue roof liners; beige or brown interiors have brown roof liners.

*Front Seat Leather (Incl. Bolsters), Rear Seats Leatherette

**Available only with front sport seats: in leather, option M409; in Berber Tweed, option M410

● = Standard; O = Optional at extra cost

Porsche Upholstery

911SC Coupe & 911SC Targa

Code	Side Panels & Seat Trim	Seat Inlays	Carpet	Available
	Leather	Leather		
69**	Black	Black	Black	O
59**	Dark Blue	Dark Blue	Dark Blue	O
89**	Beige	Beige	Beige	O
79**	Brown	Brown	Brown	O

** Available only with front sport seats: in leather, option M409

Special Leather Interiors: Trim Code†

Code	Side Panels Seat Trim Seat Inlay	Carpet	Dashboard Window Sills Rear Shelf‡
90	Cancan Red	Black	Black
91	Papyrus White	Black	Black
92	Hannibal Grey	Black	Hannibal Grey
93	Mint Green	Mint Green	Mint Green
99	To Sample	Specify*	Specify

†911SC Coupe & 911SC Targa Special Leather Interiors at extra cost. (Not available with Option M409.) 911SC Special Leather Interiors to be combined with exterior colors as desired.

* Choice of the above or other standard colors (includes roof liners).

‡Leather dashboards, window sills, rear shelf, roof liners in black leatherette.

● = Standard; O = Optional

Audi

Facts and

Figures


Audi models and dimensions

Model	Designation	Price
811 453	4000 (5-Cyl.) 2-door Sedan, automatic	_____
811 553*	4000 (5-Cyl.) 2-door Sedan, automatic	_____
813 453	4000 (5-Cyl.) 4-door Sedan, automatic	_____
813 553*	4000 (5-Cyl.) 4-door Sedan, automatic	_____
811 472	40004E (4-Cyl.) 2-door Sedan, 5-speed	_____
811 572*	40004E (4-Cyl.) 2-door Sedan, 5-speed	_____
813 472	40004E (4-Cyl.) 4-door Sedan, 5-speed	_____
813 572*	40004E (4-Cyl.) 4-door Sedan, 5-speed	_____
811 452	4000 5+5(5-Cyl.) 2-dr. Sedan, 5-speed	_____
811 552*	4000 5+5(5-Cyl.) 2-dr. Sedan, 5-speed	_____

*California Models

NOTE: Audi 5+5 Equipment will have: • Alloy wheels (5½Jx13) with 175/70 SR13 Tires • Sport seats with velour cloth upholstery only • Height adjustable driver's seat • Voltmeter, oil pressure and temperature gauges in console • Sport steering wheel • Power steering • Tachometer • Wide lower body side moldings • Exterior identification (5+5)

Dimensions (in inches)






Model	Designation	Price
433 272	5000 4-door Sedan, 5-speed	_____
433 372*	5000 4-door Sedan, 5-speed	_____
433 273	5000 4-door Sedan, automatic	_____
433 373*	5000 4-door Sedan, automatic	_____
433 392	5000 Diesel 4-door Sedan, 5-speed	_____
433 672	5000S 4-door Sedan, 5-speed	_____
433 772*	5000S 4-door Sedan, 5-speed	_____
433 673	5000S 4-door Sedan, automatic	_____
433 773*	5000S 4-door Sedan, automatic	_____
433 792	5000S Diesel 4-door Sedan, 5-speed	_____

*California models (Diesels not available in California)

NOTE: "S" package models will have: • Air conditioning • Front vent windows • Power windows • Power door and trunk locks • Manual height adjustment for driver's seat • Headrests for rear seat • Rear ashtrays with cigarette lighter • Alloy wheels (6Jx14) with 185/70 SR14 tires • Illuminated vanity mirror • Exterior identification (5000S)

Dimensions (in inches)






Audi models and dimensions

Model	Designation	Price
437 233	5000T (Turbo) 4-door Sedan, automatic	_____
437 433*	5000T (Turbo) 4-door Sedan, automatic	_____

* California models

Dimensions (in inches) 5000 Turbo



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

Audi specifications

Model

Engine

Type of engine

Bore/stroke, inches (mm)

Displacement, cubic inches (cc)

Compression ratio

Horsepower, SAE net, bhp @ rpm

Maximum torque, SAE net, ft. lbs. @ rpm

Valve train

Crankshaft

Lubrication

Fuel supply system

Fuel requirements

Electrical system

Battery

Alternator

Ignition

Drive train

Transmission

Clutch

Drive axles

Number of speeds

Gear shift location

Frame/body

Suspension

Front suspension

Rear suspension

4000 4E**4000 Automatic/4000 5+5**

4-cylinder, 4-cycle,
in-line, water-cooled
with water pump and
electric cooling fan
(1.7 liter)

3.13/3.40 (79.5/86.4)

105 (1715)

8.2:1

74 @ 5000

89.6 @ 3000

OHC, spur belt driven

Forged, 5 main bearings

Gear type oil pump,
full pressure system

Electric fuel pump,
CIS fuel injection (catalyst
with oxygen sensor)

Unleaded gas only

5-cylinder, 4-cycle, in-line,
water-cooled with thermo-
statically controlled
radiator fan, spur belt
driven water pump (2.2 liter)

3.13/3.40 (79.5/86.4)

131 (2144)

8.2:1

100 @ 5100

112.4 @ 3000

OHC, spur belt driven

Forged, 6 main bearings

Sickle pump on crankshaft,
full flow oil filter

Electric fuel pump, CIS
fuel injection (catalyst
with oxygen sensor)

Unleaded gas only

12 Volt, 45 Ah.

770 Watt†

Breakerless, Trans.**

12 Volt, 63 Ah.

910 Watt‡

Breakerless, Trans.

Front-mounted, front
wheel drive transaxle,
fully synchronized

Single disc, dry

Double CV joints

5 forward, 1 reverse

Floor-mounted in ctr. console

Unitized construction with
high energy absorbing
front and rear sections

Front-mounted, front wheel
drive transaxle, 3-speed Auto.;
5-speed fully synchronized

Torque Conv., Auto.; Single
disc, dry 5-speed

Double CV joints

3-speed Auto./5 forward,
1 reverse—manual

Floor-mounted in ctr. console

Unitized construction with
high energy absorbing
front and rear sections

MacPherson struts with
negative steering roll radius,
stabilizer bar and coil springs

Torsion crank-axle with
Panhard rod and integral
stabilizer; coil spring struts

MacPherson struts with
negative steering roll radius,
stabilizer bar and coil springs

Torsion crank-axle with
Panhard rod and integral
stabilizer; coil spring struts

** California: Breakerless
transistor with idle
stabilization

†Alt. with A/C 1050 watts

‡Alt. with A/C 1260 watts

Audi specifications

Model

Brakes

Foot brake

Hand brake

Total effective brake pad/lining area: sq. inches (cm²)

Wheels

Rims

Tires

Steering

Capacities

Fuel tank, gallons (liters)

Engine oil with filter, quarts (liters)

Windshield washer, quarts (liters)

Cooling system, quarts (liters)

Rear trunk, cubic feet (EPA)

Dimensions

Wheelbase, inches (mm)

Front track, inches (mm)

Rear track, inches (mm)

Overall length, inches (mm)

Overall width, inches (mm)

Overall height (unloaded), inches (mm)

Ground clearance (loaded), inches (mm)

Turning circle, curb to curb, feet (m)

Weight

Gross vehicle weight, lbs. (preliminary)

Performance

Approximate top speed

Acceleration 0-50 mph (in seconds)

EPA estimated fuel economy
mpg, city/highway

Estimated cruising range:

City—

Highway—

Standard equipment, options and specifications subject to change without notice.

4000 4E**4000 Automatic/4000 5+5**

Discs, front; drums,
rear; hydraulic power-
assisted, dual-diagonal
circuits; self-adjusting
with pressure regulator

Mechanical, activating
rear drum brakes

58.9 (380)

Discs, front; drums
rear; hydraulic power-
assisted, dual-diagonal
circuits; self-adjusting
with pressure regulator

Mechanical, activating
rear drum brakes

58.9 (380)

5J x 13 (steel)

175/70 SR 13 (steel
belted radials)

Rack and pinion with
steering damper

15.8 (60)

4.7 (4.0)

1.9 (1.8)

6.9 (6.5)

12.0

5½J x 13 (steel)

175/70 SR 13 (steel
belted radials)

Power-assisted rack and
pinion with steering damper

15.8 (60)

5.3 (5.0)

1.9 (1.8)

7.4 (7.0)

12.0

99.8 (2536)

55.1 (1400)

55.9 (1420)

176.6 (4486)

66.2 (1687)

54.7 (1390)

4.6 (116)

32.5 (9.95)

99.8 (2536)

55.1 (1400)

55.9 (1420)

176.6 (4486)

66.2 (1687)

54.7 (1390)

4.6 (116)

32.5 (9.95)

3,219 (4E)

3,439 (Auto) N/A (5+5)

100 mph

9.6

104 mph (Auto) 108 mph (5+5)

9.5

7.4

26/41*

20/28*

21/36*

411*

648*

316*

442*

332*

569*

* 1981 EPA estimates

Audi specifications

Model

Engine

Type of engine

Bore/stroke, inches (mm)

— Gas:

— Diesel:

Displacement, cubic
inches (cc)

— Gas

— Diesel:

Compression ratio

— Gas

— Diesel:

Horsepower, SAE net,
bhp @ rpm

— Gas:

— Diesel:

Maximum torque, SAE net,
ft. lbs. @ rpm

— Gas:

— Diesel:

Valve train

Crankshaft

Lubrication

Fuel supply system

Fuel requirements

— Gas:

— Diesel:

Electrical system

Battery

— Gas

— Diesel:

Alternator

— Gas:

— Diesel:

Ignition

Drive train

Transmission

Clutch

Drive axles

Number of speeds

Gear shift location

Frame/body

Suspension

Front suspension

Rear suspension

5000/Diesel**5000 Turbo**

5-cylinder, 4-cycle, 2.2 ltr. (Gas), 2.0 ltr. (Diesel), in-line, water-cooled with thermostatically controlled radiator fan, spur belt driven water pump.	Turbocharged 5-cylinder, 2.2 ltr. 4-cycle, in-line, water- cooled with thermostatically controlled radiator fan, spur belt driven water pump.
3.13/3.40 (79.5/86.4)	3.13/3.40 (79.5/86.4)
3.01/3.40 (76.5/86.4)	—
131 (2144)	131 (2144)
121 (1986)	—
8.2:1	7.0:1
23.0:1	—
100 @ 5100	130 @ 5400
67 @ 4800	—
112.4 @ 3000	142 @ 3000
84.8 @ 3000	—
OHC, spur belt driven	OHC, spur belt driven
Forged, six main bearings	Forged steel, six main bearings
Sickle pump on crankshaft, full flow oil filter	Sickle pump on crankshaft full flow oil filter
Electric fuel pump, CIS fuel injection, catalyst with oxygen sensor, (gas); injection pump (Diesel)	CIS fuel injection with exhaust driven turbo charger, 3-way catalyst with oxygen sensor
Unleaded gas only Diesel #2 (see Owner's Man.)	Unleaded gas only
12 Volt, 63 Ah.	12 Volt, 63 Ah.
12 Volt, 88 Ah.	—
1050 Watt†	1260 Watt
1050 Watt†	—
Breakerless transistor (gas) Self ignition (Diesel)	Breakerless transistor with idle stabilizer
Front-mounted, front wheel drive transaxle, fully synchronized	Front-mounted, front wheel drive transaxle, 3-speed automatic
Single disc, dry	Torque converter
Double CV joints	Double CV joints
5 forward, 1 reverse	3-speed automatic
Floor-mounted in ctr. console	Floor-mounted in ctr. console
Unitized construction with energy absorbing front and rear sections	Unitized construction with energy absorbing front and rear sections
MacPherson struts with coil springs, lower control arm and stabilizer; negative roll radius	MacPherson struts with coil springs, lower control arm and stabilizer; negative roll radius
Torsion crank-axle with Panhard rod and integral stabilizer; coil spring struts	Torsion crank-axle with Panhard rod and integral stabilizer; double progressive coil springs and hydraulic shock absorbers

†Alt. with A/C 1260 Watt

Audi specifications

Model

Brakes

Foot brake

Hand brake

Total effective brake pad/lining area: sq. inches (cm²)

Wheels

Rims

Tires

Steering

Capacities

Fuel tank, gallons (liters)

Engine oil with filter, quarts (liters)

Windshield washer, quarts (liters)

Cooling system, quarts (liters)

Rear trunk, cubic feet (EPA)

Dimensions

Wheelbase, inches (mm)

Front track, inches (mm)

Rear track, inches (mm)

Overall length, inches (mm)

Overall width, inches (mm)

Overall height (unloaded), inches (mm)

Ground clearance (loaded), inches (mm)

Turning circle, curb to curb, feet (m)

Weight

Gross vehicle weight, lbs. (preliminary)

Performance

Approximate top speed

Acceleration 0-50 mph (in seconds) std. trans.

EPA estimated fuel economy: mpg, city/highway
(stand. trans.)
(auto. trans. 5000 Turbo)

Estimated cruising range in miles:

(stand. trans. 5000/Diesel)

(auto. trans. 5000 Turbo)

City—

Highway—

Standard equipment, options and specifications subject to change without notice.

5000/Diesel	5000 Turbo
Hydraulic dual-diagonal power-assisted vented discs, front; finned drums, rear; self-adjusting with pressure regulator	Hydraulic dual-diagonal power-assisted vented discs, front; solid discs rear; self-adjusting with load-sensing pressure regulator
Mechanical, activating rear drum brakes	Mechanical, activating rear disc brakes
76.4 (493)	49.6 (320)
6Jx 14 (steel)	6Jx 15 (light alloy)
185/70 SR 14 (steel belted radials)	205/60 HR 15 (steel belted radials)
Power-assisted rack and pinion with steering damper	Power-assisted rack and pinion with steering damper
19.8 (75)	19.8 (75)
5.3 (5.0)	5.3 (5.0)
1.8 (1.7)	1.8 (1.7)
8.5 (8.0)	10.0 (9.4)
15.0	15.0
105.5 (2680)	105.5 (2680)
57.9 (1470)	58.1 (1475)
56.9 (1445)	57.2 (1453)
188.9 (4798)	188.9 (4798)
69.6 (1768)	69.6 (1768)
54.7 (1390)	54.7 (1390)
4.4 (112)	3.9 (98)
34.3 (10.45)	34.3 (10.45)
3,847 (gas) 3,858 (Diesel)	3924
107 mph (gas) 93 mph (Diesel)	113 mph
8.9 (gas) 12.4 (Diesel)	7.5 (automatic trans.)
19/33** (gas) 27/43* (Diesel)†	18/25*
376 535 (Diesel) 653 851 (Diesel)	356 miles 495 miles

†Diesel not available in California

*1980 EPA estimates (1981 data unavailable at printing time)

**1981 EPA estimates

Audi standard equipment

Model

4000

Body

Unitized body construction with passenger safety cell and energy-absorbing front and rear-end design. Urethane covered bumpers with energy absorbing elements front and rear. Swing-away, remote control outside rearview mirror (left). Complete undercoating. Belt trim molding with protective rubber inlay. Operational vent windows. Electric rear window defogger. Full wheel covers. Map pockets. Tinted glass all around.

Locks

Ignition/steering lock with non-repeat starter switch. Child safety locks on rear doors of 4-door models. Locks on glove compartment and trunk. Engine compartment latch released from passenger compartment. Non-override safety door locks. Lockable gas cap.

Interior

Wide hub, safety-padded leatherette steering wheel. Safety steering column. Day/night rearview mirror. Padded sun visors with vanity mirror on passenger side. Padded glareproof instrument panel. Ashtray front and rear. Cigar lighter. Padded armrests, front and rear. Adjustable front seats with fully reclining backrests. Glove compartment, and package tray below dashboard. Upholstery in velour cloth or leatherette (5 + 5 velour interior only). Combination shoulder/lap belts for front seats equipped with inertia reels. Three sets of lap belts for rear seat. Full carpeting. Three-speed heating and ventilating blower with large ducts for both functions. Draft-free flow-through ventilation system. Floor mounted, short-stroke manual shift lever or automatic shift lever and console. Overhead mounted passenger assist handles. Two coat hooks. Space-saver spare tire.

Instrumentation

Speedometer with trip odometer. Electric quartz clock. Fuel gauge. Coolant temperature gauge. Alternator warning light. Oil pressure warning light. Brake warning light. Voltmeter, oil temperature gauge and tachometer (4000 Auto. and 5 + 5).

Electrical System

Dual rectangular headlights. Two back-up lights. Rheostat-controlled dashboard instrument illumination. Four-way emergency flasher. Glove compartment light. Luggage compartment light. One interior light with courtesy switches on all doors. Electric windshield washer. Two-speed windshield wipers with intermittent wipe cycle. Central control box with fuses.

Audi standard equipment

Model

5000/5000 Diesel

Body

Unitized body construction with passenger safety cell and energy-absorbing front and rear-end design. Aluminum bumpers, front and rear, with heavy duty rubber moldings and plastic corner flaps. Energy-absorbing front and rear bumper supports. Full factory undercoating. Protective molding at belt line, rocker panel, and roof-edge rain channel moldings. Bright molding on front grille and trunk lid. Two outside mirrors with tinted glass, remote-controlled on left. Tinted glass all around. Electric rear window defogger. Carpeted trunk compartment. Full wheel covers.

Locks

Ignition/steering/starter lock with non-repeat starter switch. Child safety locks on rear doors. Locks on glove compartment, trunk, and gas cap. Inside front hood release. For Diesel, pre-glow starter switch.

Interior

Leather-grained steering wheel. Safety-padded horn button. Day/night rearview mirror. Padded sun visors swivel from side to side, have vanity mirror on passenger side. Padded glare-proof instrument panel. Three ashtrays. Cigar lighter. Adjustable front seats with fully reclining backrests. Fold-down center armrest for rear seat. Storage under dashboard and pockets on front doors. Center console. Trim of leatherette and velour cloth. Two shoulder/lap belts for front seats equipped with inertia reels. Seat belt chimes. Three sets of lap belts for rear seat. Thick pile carpeting. Independent heater and fresh air controls with three-speed blower. Draft free flow-through ventilation. Assist handles, one in front and two in rear. Two coat hooks. Space-saver spare tire.

Instrumentation

Speedometer with trip odometer. Electric quartz clock. Fuel gauge. Coolant temperature gauge. Alternator warning light. Oil pressure warning light. Brake warning light. Cruise control. For Diesel; a pre-glow light indicator.

Electrical System

Dual rectangular headlights. Two back-up lights. Rheostat-controlled instrument illumination. Trunk light. Four-way emergency flasher. Glove compartment light. Courtesy light in roof, dual courtesy light under dashboard. Front ashtray light. Electric windshield washer with automatic wash/wipe cycle. Two-speed windshield wipers with intermittent wipe cycle. Central electrical control box with fuses. Battery connection in engine compartment (with air conditioning).

Audi standard equipment

Model

5000 Turbo

Body

Unitized body construction with reinforced passenger cell and energy-absorbing front and rear-end design. Front and rear energy-absorbing bumper supports. Blacked out front grille surrounds headlight bezels in black with chrome trim inside. Large front spoiler. Matte pearl color window and drip molding. Tinted glass all around. Tinted right and left adjustable outside mirrors. Front vent windows. Light alloy 5-bolt wheels. Driver's side wiper arm with wind deflector. Electric rear window defogger. Undercoating. "5000T" (left) "Turbo" (right) identification on trunk lid.

Locks

Ignition/steering/starter lock with non-repeat starter switch. Child safety locks on rear doors. Locks on glove compartment, front outside door handles, trunk and gas cap. Inside front hood release. Power door and trunk locks. Lockable gas cap.

Interior

Four-spoke sport steering wheel. Large center console with storage compartment. Center console storage compartment lid folds back to serve as a beverage holder for rear passengers. AM/FM stereo cassette radio with four speakers and balance control. Wide-band flow-through ventilation. Air conditioner. Integrated heater and fresh air controls with 3-speed blower. Front and 2 rear ashtrays with 3 cigarette lighters. Day/night rearview mirror. Assist handles with integrated clothing hooks. Headliner panels same as seat material (not available with sunroof). Molded color-coordinated headliners for sunroof interior. Padded sunvisors with illuminated vanity mirror on passenger side. Adjustable and fully reclining front bucket seats. Map pockets in front seat backs. Storage compartment under dashboard and pockets on front doors. Height adjustment for driver's seat. Rear fold-down center armrest. Headrests for rear seats. Rich velour upholstery. Thick pile carpeting. Fully carpeted luggage compartment. Two shoulder/lap belts for front seats equipped with inertia reel. Seat belt chimes. Three sets of lap belts for rear seat. Space-saver spare tire.

Instrumentation

Rectangular dashboard binnacle with rocker switches on right side. Tachometer. Speedometer with trip odometer. Boost gauge. Oil temperature gauge. Water temperature gauge. Fuel gauge. Alternator warning light. Brake warning light. Oil pressure warning light. Digital clock, with green numerals, between sun visors. Hand brake lever and power window/lock control switches integrated into the front side of the center storage console.

Audi options

Code	Description	Note
D01	Speaker Package w/manual antenna	2 Speakers in dash 2 add'l. speakers in rear, manual antenna and suppression. Not together with D02 or R16
D02	Speaker Package w/automatic antenna	2 Speakers in dash 2 add'l. speakers in rear, automatic antenna and suppression. Not together with D01 or R16
D06	Heatable front seats	
D58	Outside mirrors	L/R Heatable, Elec. adjustable
D75	Air conditioner	4-cylinder only
D76	Air conditioner	5-cylinder only
R16	Radio AM/FM Stereo Cassette, automatic antenna	Not with D01 or D02
261	Outside mirror, right	
341	Power door locks	
352	Cruise control	
383	Power seats	
485	Alloy wheels:	4000: 5½Jx13 with 175/70 SR13 tires. 5000: 6Jx14 with 185/70 SR14 tires. Mandatory for 40004E, 4-door with metallic paint.
560	Sun roof (manual)	For 4000 only
561	Vent windows, front door	

	4000 Series			5000/	5000S/	5000
	4E	5+5	Auto	Diesel	Diesel	Turbo
	O	O	O	O	O	—
Price						
	O	O	O	O	O	—
Price						
	—	—	—	—	O	O
Price						
	O	O	O	O	O	O
Price						
	O	—	—	—	—	—
Price						
	—	O	O	—	—	—
Price						
	O	O	O	O	O	●
Price						
	O	O	O	●	●	●
Price						
	O	O	O	O	●	●
Price						
	O	O	O	●	●	●
Price						
	—	—	—	—	O	O
Price						
	O	—	O	O	●	●
Price						
Price						
	O	O	O	—	—	—
Price						
	—	—	—	O	●	●
Price						

O means "option available for this model"
 — means "option not available for this model"
 ● means "standard equipment for this model"

Audi options

Code	Description	Note
573	Air conditioner	5000 only. See D75 or D76 for 4000.
650	Sun roof (electric)	For 5000 only
651	Power windows	
656	Height adjustable Driver's seat	Not available with M383
657	Power steering	
675	Tachometer	For 5000, not available together with automatic transmission, diesel engine
764	Catalyst retrofit	Mandatory for all tourist vehicles, except diesel

Audi notes

[illegible]

	4000 Series 4E	5+5	Auto	5000 Diesel	5000S/ Diesel	5000 Turbo
Price	—	—	—	○	●	●
Price	—	—	—	○	○	○
Price	○	○	○	○	●	●
Price	○	●	○	○	●	●
Price	○	●	●	●	●	●
Price	○	●	●	○	○	●
Price	○	○	○	○	○	○

○ means "option available for this model"

— means "option not available for this model"

● means "standard equipment for this model"

Audi paint and upholstery

Recommended paint/upholstery combinations—Audi 4000

Exterior			Upholstery	
Paint Color	Code	Color	All Leatherette Code†	All Velour Code**
Colorado Beige	D5D5	Dk Brown	—	GL
		Sand	PN	GK
Havana Brown	T4T4	Dk Brown	PG	GL
		Sand	PN	GK
Alpine White	P1P1	Azure	PL	GH
		Sand	PN	GK
Black	9000	Azure	PL	GH
		Sand	PN	GK
		Dk Brown	PG	GL
Inari Silver Met.*	Y4Y4	Reed	—	GJ
		Sand	PN	GK
Helios Blue Met.*	W5W5	Azure	PL	GH
Saturn Red Met.*	Y3Y3	Sand	PN	GK
Indiana Red Met.*	W9W9	Sand	PN	GK
Diamond Silver Met.*	Z4Z4	Azure	PL	GH
Onyx Green Met.*	Z2Z2	Reed	—	GJ
		Sand	PN	GK

* Available at extra cost.

** Patterned velour seat inlays, seat trim in matching solid color velour.

† Leatherette not available for 4000 5+5.

NOTE: 4000 4E 4-door with Metallic Paint must have Alloy wheels (M485).

Dashboard: Dark Brown with Dark Brown and Sand Interior

Dark Blue with Azure Interior

Dark Green with Reed Interior

Audi notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

Audi paint and upholstery

Recommended paint/upholstery combinations— Audi 5000/Diesel

Exterior			Upholstery		
Paint Color	Code	Color	All Lthette Code	All Velour Code**	Leather with Lthette Code*
Colorado Beige	D5D5	Sand	PN	HP	TC
		Dk Brown	PG	HV	TK
Havana Brown	T4T4	Sand	PN	HP	TC
		Dk Brown	PG	HV	TK
Alpine White	P1P1	Azure	PL	HM	TD
		Sand	PN	HP	TC
Black	9000	Red	NN	HL	TQ
		Azure	PL	HM	TD
		Sand	PN	HP	TC
Saturn Red Met.*	Y3Y3	Red	NN	HL	TQ
		Sand	PN	HP	TC
		Dk Brown	PG	HV	TK
Helios Blue Met.*	W5W5	Azure	PL	HM	TD
Indiana Red Met.*	W9W9	Red	NN	HL	TQ
		Sand	PN	HP	TC
		Dk Brown	PG	HV	TK
Onyx Green Met.*	Z2Z2	Reed	—	HN	TB
Diamond Silver Met.*	Z4Z4	Red	NN	HL	TQ
		Azure	PL	HM	TD
		Sand	PN	HP	TC
Meteor Grey Met.*	Y5Y5	Red	NN	HL	TQ
		Azure	PL	HM	TD
		Sand	PN	HP	TC

* Available at extra cost.

** Patterned velour seat inlays, seat trim in matching solid color velour.

NOTE: All seat inlays, bolsters and front of headrests in leather.

Dashboard: Dark Brown with Sand and Dark Brown Interior

Dark Blue with Azure Interior

Red with Red Interior

Dark Green with Reed Interior

NOTE: All Red Interiors will not be available before January, 1981

Audi paint and upholstery

Recommended paint/upholstery combinations— 5000 Turbo

Exterior			Upholstery	
Paint Color	Code	Color	All Velour Code**	Leather with Lthette Code*
Alpine White	P1P1	Azure	JD	—
		Dk Brown	JW	TK
Black	9000	Azure	JD	—
		Dk Brown	JW	TK
Helios Blue Metallic*	W5W5	Dk Brown	—	TK
		Azure	JD	—
Indiana Red Metallic*	W9W9	Dk Brown	JW	TK
Onyx Green Metallic*	Z2Z2	Reed	JU	—
		Dk Brown	JW	TK
Diamond Silver Metallic*	Z4Z4	Azure	JD	—
		Dk Brown	JW	TK
Saturn Red Metallic*	Y3Y3	Dk Brown	JW	TK
Meteor Grey Metallic*	Y5Y5	Azure	JD	—
		Dk Brown	—	TK

* Available at extra cost.

** Patterned velour seat inlays, seat trim in matching solid color velour.

NOTE: Turbo head restraints will be of the frame type with open centers.


Dashboard: Dark Brown with Sand and Dark Brown Interior

Dark Blue with Azure Interior

Dark Green with Reed Interior

Factory-Installed Radios*


Audi R-16 (with Automatic Antenna)



AM/FM Stereo/Radio/Cassette Player • 2 x 5 Watt/Channel Max. • 2 AM & 4 FM Pushbutton Station Pre-selection • Slide Rule Dial • Balance Control • Mono/Stereo Switch • Locking Fast Forward & Rewind • Combined Bass/Treble Control.

*For Porsche—Digital Radio Option M126 (not illustrated).


Dealer-Installed Radios




CR-2000 AM/FM Stereo Radio/Cassette Player • 2 x 7.5 Watt/Channel Max. • Autoreverse • Combined Bass/Treble • Balance, Eject: Manual & Automatic.




CR-2001 AM/FM Stereo Radio/Cassette Player • 2 x 7.5 Watt/Channel Max. • Combined Bass/Treble • Balance • Dolby™ • 5 Pushbuttons for AM or FM.




CR-3001 AM/FM Stereo Radio/Cassette Player • 4 x 23 Watt/Channel Max. • Autoreverse, Sendust Head • Balance & Fader • Digital Clock & Frequency Display • Separate Bass & Treble • Dolby™ • Metal Tape • Pre-set Station Buttons: 6 AM, 6 FM • Scan/Search/Hold Program Selection • Remote Control for Cassette Program/Station Scan • Power Amplifier.




CR-2000D AM/FM Stereo Radio/Cassette Player • 2 x 7.5 Watt/Channel Max. • Combined Bass/Treble • Balance, Eject: Manual & Automatic • Dolby™.



SC-80C AM/FM Stereo Radio/Cassette Player • 4 x 7.5 Watt/Channel Max. • Manual Digital • 5 Pushbuttons for AM or FM • Autoreverse, Sendust Head • Bass & Treble • Dolby™ • Metal Tape Switch • Balance & Fader Controls.





CR-4000 AM/FM Stereo Radio/Cassette Player • 4 x 7 Watt/Channel RMS • Autoreverse, Sendust Head • Bass & Treble • Eject: Auto. & Manual • Metal Tape • Dolby™ • Balance & Fader.




CR-5001 AM/FM Stereo Radio/Cassette Player • 4 x 15 Watt/Channel Max. • Autoreverse, Sendust Head • Balance • Bass & Treble Control • Metal Tape • Dolby™ • 5 AM/FM Pushbuttons • Manual Tuning/Digital Display • Fader.

CR-720 CB Radio, 40-Channel, remote • Transceiver designed for installation inside dash or trunk. Control functions in microphone: Electronic Channel Selector, 2-way 40-Channel Scan, up or down, with LED Indicator, Local/Distance/ Quiet Switch, On/Off Switch, Squelch & Volume Switches.



CR-8000 AM/FM Stereo Radio/8-Track Tape Player • 2 x 7.5 Watt/Channel Max. • Balance • Manual Tape Eject • Local/Distance Switch.



Stereo Upgrade Components High compliance speakers are mandatory for all systems with output exceeding 7½ watt per channel. Graphic equalizer/amplifiers have five separate slide controls for tone adjustment at the audio frequency ranges 60/250/1000/3,500/12,000 Hz., a fader for front to rear volume control and on/off switch. The BEA 50 is an equalizer only. The BEA 100 and 200 are combination equalizer/amplifiers. Both have 4 x 17 watts max. The BEA 200 has a reverberation synthesizer additional.

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

Name

Dealership

Address

City

State

Zip

Published by **PORSCHE + AUDI**
A division of Volkswagen of America, Inc.
818 Sylvan Avenue
Englewood Cliffs, New Jersey 07632

This book is intended for use within the Porsche Audi organization only.

All information and illustrations given herein are based upon industry (or manufacturer's) information and are believed to be accurate and correct statements of fact.

Standard equipment, options and specifications subject to change without notice.

Audi Facts and Figures.




Audi Coupe

Coupe models and dimensions

Model	Designation	Price
855 452	(5-Cyl.) 2-door Coupe, 5-speed	_____
855 552*	(5-Cyl.) 2-door Coupe, 5-speed	_____
855 453	(5-Cyl.) 2-door Coupe, automatic	_____
855 553*	(5-Cyl.) 2-door Coupe, automatic	_____

*California models

Dimensions (in inches) Coupe



Audi specifications

Model	Coupe	
Engine		
Type of engine	5-cylinder, 4-cycle, in-line, water-cooled with thermostatically controlled electric radiator fan, spur belt driven water pump (2.2 liter)	
Bore/stroke, inches (mm)	3.13/3.40 (79.5/86.4)	
Displacement, cubic inches (cc)	131 (2144)	
Compression ratio	8.2:1	
Horsepower @ rpm (SAE net)	100 @ 5100	
Maximum torque ft. lbs. @ rpm (SAE net)	112.4 @ 3000	
Valve train	OHC, spur belt driven	
Crankshaft	Forged, 6 main bearings	
Lubrication	Sickle pump on crankshaft, full flow oil filter	
Fuel supply system	Electric fuel pump, CIS fuel injection (catalyst with oxygen sensor)	
Fuel requirements	Unleaded gas only	
Electrical system		
Battery	12 Volt, 63 Ah.	
Alternator	1050 Watt*	
Ignition	Breakerless, Trans.**	
Drive train		
Transmission	Front-mounted, front wheel drive transaxle, 3-speed Auto.; 5-speed fully synchronized	
Clutch	Torque Conv., Auto., Single disc, dry, 5-speed	
Drive axles	Double CV joints	
Gear Ratios	3-speed auto	5-speed man
1st	2.55:1	2.85:1
2nd	1.45:1	1.52:1
3rd	1.00:1	0.97:1
4th	—	0.70:1
5th	—	0.54:1
Reverse	2.46:1	3.17:1
Final Drive	3.45:1	4.46:1
Frame/body	Unitized construction with high energy absorbing front and rear sections	
Suspension		
Front suspension	MacPherson struts with negative steering roll radius, stabilizer bar and coil springs	
Rear suspension	Torsion crank-axle with Panhard rod and integral stabilizer; coil spring struts	

* Alt. with A/C 1260 watts

** California: Breakerless transistor with idle stabilization.

Audi specifications

Model	Coupe	
-------	-------	--

Brakes

Foot brake	Discs, front; drums, rear; hydraulic power-assisted, dual-diagonal circuits; self-adjusting with pressure regulator	
Hand brake	Mechanical, activating rear drum brakes	
Total effective brake pad/lining area: sq. inches (cm ²)	58.9	(380)

Wheels

Rims	6J x 14 alloy	
Tires	185/60 HR 14 (steel belted radials)	

Steering

	Variable power-assisted rack and pinion	
--	---	--

Capacities

Fuel tank, gallons (liters)	15.8	(60)
Engine oil with filter, quarts (liters)	5.3	(5.0)
Windshield washer, quarts (liters)	1.9	(1.8)
Cooling system, quarts (liters)	7.4	(7.0)
Rear trunk, cubic feet (volumetric)	17.0	

Dimensions

Wheelbase, inches (mm)	99.8	(2536)
Front track, inches (mm)	55.2	(1400)
Rear track, inches (mm)	55.9	(1420)
Overall length, inches (mm)	177.0	(4497)
Overall width, inches (mm)	66.3	(1682)
Overall height (unloaded), inches (mm)	53.1	(1350)
Ground clearance (loaded), inches (mm)	4.7	(120)
Turning circle, curb to curb, feet (m)	32.5	(9.9)

Weight

Gross vehicle weight may be found on manufacturer's label on vehicle		
--	--	--

Performance

Approximate top speed	105 mph (Auto)	109 mph [†] (Manual)
Acceleration 0-50 mph (in secs)	9.5	7.4
EPA estimated mpg: ‡		
49 states-city/highway	20/28	21/36
Calif.-city/highway	20/28	20/37
Estimated cruising range: ‡		
49 states-city/highway	316/442	332/569
Calif.-city/highway	316/442	316/585

Standard equipment, options and specifications subject to change without notice.

[†]Top speed in 4th gear
[‡]1981 EPA estimates

**Peel off Kleenstick strip
to attach folder to inside
back cover of your 1981
Porsche Audi Fact Book**

Audi standard equipment

Model

Coupe

Body

Unitized body construction with reinforced passenger safety cell and energy-absorbing front and rear-end design. Urethane covered bumpers with energy-absorbing elements front and rear. Complete undercoating. Integrated front air dam. Rear spoiler on trunk lid. Wide protective body side moldings with chrome strips and Audi logo inserts. Full width windows without vents. Tinted glass all around. Black window moldings with antique silver inlays. Remote control outside mirrors, manual left and right. Alloy wheels. Rear COUPE lettering on red reflective panel.

Locks

Ignition/steering lock with non-repeat starter switch. Locks on glove compartment and doors. Inside trunk release. Inside engine hood release. Lockable gas cap.

Interior

Four-spoke, leather-covered sport steering wheel. Adjustable bucket sport seats with fully reclining backrests and open rectangular headrests. Body-contoured rear seat with integrated headrests. Driver's seat height adjustment. Leather shift lever knob and special boot. Padded glare-proof instrument panel. Shade over the instrument binnacle. Rear passenger assist handles. Two shoulder/lap belts for front seats equipped with inertia reels. Three sets of lap belts for rear seats. Thick pile carpeting. Color-coordinated headliner. Padded sun visors. Rear shelf in velour carpet. Day/night rearview mirror. Draft-free flow-through ventilation system. Floor mounted manual or automatic shift lever and console. Package tray below dashboard. Ash trays, front and rear. Cigarette lighter. Trunk with two gas spring supports and two slides to hold optional sunroof.

Instrumentation

Speedometer with trip reset odometer. Fuel gauge. Water temperature gauge. Tachometer with integrated quartz clock. Voltmeter, oil pressure and oil temperature gauge in console. Warning/indicator lights for safety belts, oil pressure, emergency flasher, water temperature, alternator, high beams, oxygen sensor, brake and rear window defogger.

Electrical System

Dual rectangular halogen headlights. Two back-up lights. Illuminated vanity mirror in passenger sun visor. Lights in the trunk, glove compartment and front ash tray. One interior light with courtesy switch on all doors. Rheostat-controlled dashboard instrument illumination. Four-way emergency flasher. Electric windshield washer with automatic wash/wipe cycle. Two-speed windshield wiper with intermittent wipe cycle. Three-speed heating and ventilating blower with large ducts for both functions. Rear window electric defogger. Cruise control.

Audi paint and upholstery

Recommended paint/upholstery combinations—Audi Coupe

Exterior			Upholstery	
Paint Color	Code	Color	All Fabric Code	All Leather Code*
Black	A1A1	Azure Dark Brown	KA —	— TK
Helios Blue Met.*	W5W5	Azure Dark Brown	KA —	— TK
Indiana Red Met.*	W9W9	Dark Brown	KC	TK
Meteor Grey Met.*	Y5Y5	Azure Dark Brown	KA —	— TK
Diamond Silver Met.*	Z4Z4	Azure Dark Brown	KA —	— TK

*At extra cost.

NOTE: Leather is same leather as available on Audi 5000 & 5000S, not available with heatable front seat.

Audi options

Model		Coupe
Code	Description	Note Price
D01	Speaker Package w/manual antenna	2 Speakers in dash 2 add'l. speakers in rear, Fader switch and suppression.
D08	Heatable front seats	Not available in leather
D58	Outside mirrors	L/R Heatable, elec. adjustable
D73	Air conditioner	
R14	Radio AM/FM Stereo Cassette, manual antenna	Not with D01
341	Power door locks	
425	Rear Window Wiper & Washer	
560	Sun roof (manual)	Tilt & removable
651	Power windows	
656	Height adjustable front passenger seat	Standard equipment driver's seat
764	Catalyst retrofit	Mandatory for all delivery in Europe vehicles

PORSCHE + AUDI
NOTHING EVEN COMES CLOSE

PORSCHE + AUDI
NOTHING EVEN COMES CLOSE